



85% Less Corrosive

Material Safety Data Sheet

A. GENERAL INFORMATION

| | | | |
|---|--|---|--|
| TRADE NAME (COMMON NAME): Green Earth Safety Salt – 85% Less Corrosive | | CAS NUMBER: 7647-14-5 (anhydrous), 7786-30-3(anhydrous),7647-14-5(anhydrous), | |
| CHEMICAL NAME AND/OR SYNONYM: Sodium chloride, Calcium chloride, Magnesium chloride | | | |
| FORMULA: NaCl, 95.0 –97.0%, CaCl ₂ , 2.0 – 3.0%, MgCl ₂ 0.5 – 1.0%, Proprietary Corrosion Inhibitors 0.9% | | MOLECULAR WEIGHT: 58.4428, 110.98, 95.218 | |
| MANUFACTURER/ADDRESS: Bralan Energy Inc 6800 Baseline Rd Wallaceburg, ON N8A 2K6 | | | |
| CONTACT: Manager, Quality/Safety and Training | PHONE NUMBER: 1-519-800-5608 | LAST ISSUE DATE: NA | CURRENT ISSUE DATE: June, 2015 |

B. FIRST AID MEASURES

| | | |
|--------------------|---|--|
| | | EMERGENCY PHONE NUMBER: (506) 357-1240 Ext 350 |
| EYES: | Flush promptly with plenty of water, continuing for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention. | |
| SKIN: | Flush with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops or persists. Wash clothing before reuse. | |
| INHALATION: | Remove to fresh air. | |
| INGESTION: | If conscious and alert, give 2 to 4 glasses of water. Get medical aid. | |

C. HAZARDS INFORMATION

| | |
|--|---------------------------|
| INHALATION: Vapors are unlikely due to physical properties. Mists may cause irritation to the upper respiratory tract. | |
| INGESTION: If swallowed and the person is conscious, immediately give large amounts of water. Get medical attention. | |
| SKIN: In case of contact, immediately wash skin with plenty of soap and water for at least 15 minutes. | |
| EYES: In case of eye contact, immediately flush with plenty of water for at least 15 minutes. | |
| PERMISSIBLE CONCENTRATION: AIR NA | BIOLOGICAL None |
| UNUSUAL CHRONIC TOXICITY: None. | |

C. HAZARDS (Cont.)

| | | |
|---|--|--|
| FLASH POINT: Not flammable OPEN CUP <input type="checkbox"/> CLOSED CUP <input type="checkbox"/> | AUTO IGNITION TEMPERATURE NA | FLAMMABLE LIMITS IN AIR (% BY VOL.) LOWER - NA UPPER - NA |
| UNUSUAL FIRE AND EXPLOSION HAZARDS NA | | |

D. PRECAUTIONS/PROCEDURES

| | |
|---|--------------------|
| FIRE EXTINGUISHING AGENTS RECOMMENDED: Use extinguishing media appropriate for surrounding fire. | |
| FIRE EXTINGUISHING AGENTS TO AVOID: None identified | |
| SPECIAL FIREFIGHTING PRECAUTIONS: None identified | |
| VENTILATION: None identified | |
| NORMAL HANDLING: Avoid contact with eyes, skin or clothing. Use good personal hygiene and housekeeping. | |
| STORAGE: Keep container tightly closed. Suitable for any general chemical storage area. | |
| SPILL OR LEAK Wear suitable protective clothing. Carefully sweep up and remove. | |
| SPECIAL: PRECAUTIONS/PROCEDURES/LABEL INSTRUCTIONS: None | SIGNAL WORD |

E. PERSONAL PROTECTIVE EQUIPMENT

| |
|---|
| RESPIRATORY PROTECTION: None required where adequate ventilation conditions exist. If airborne concentration is high, use an appropriate respirator or dust mask. |
| EYES AND FACE: Safety goggles |
| HANDS, ARMS, AND BODY: Proper gloves are recommended |
| OTHER CLOTHING AND EQUIPMENT: |

F. PHYSICAL DATA

| | | | |
|--|---|---|--|
| MATERIAL IS AT NORMAL CONDITIONS: LIQUID <input type="checkbox"/> SOLID <input checked="" type="checkbox"/> GAS <input type="checkbox"/> | | APPEARANCE AND COLOR: Pinkish Orange pellets | |
| BOILING POINT: 106°C MELTING POINT: -21°C | SPECIFIC GRAVITY: (H ₂ O = 1) 23% NaCl 1.180 @ 60° F 24% NaCl 1.189 25% NaCl 1.197 | VAPOR DENSITY: (AIR =1) Not applicable | |
| SOLUBILITY IN WATER: (% BY WEIGHT) 26% @ 20°C | pH: neutral to slightly acidic | VAPOR PRESSURE: (mm Hg @ 20°C) <input checked="" type="checkbox"/> (PSIG) <input type="checkbox"/> 14 mm Hg @ 20 C | |
| EVAPORATION RATE: (Butyl acetate=1) <input type="checkbox"/> (Ether = 1.0) <input type="checkbox"/> NA | % VOLATILES BY VOLUME: (AT 20°C) NA | | |

G. REACTIVITY DATA

| | |
|--|-----------------------------------|
| STABILITY: UNSTABLE <input type="checkbox"/> STABLE <input checked="" type="checkbox"/> | CONDITIONS TO AVOID: NA |
| INCOMPATIBILITY (MATERIALS TO AVOID): Potentially explosive reaction with dichloromaleic anhydride + urea. Electrolysis of mixtures with nitrogen compounds may form explosive nitrogen trichloride. | |
| HAZARDOUS DECOMPOSITION PRODUCTS: Toxic fumes of sodium oxide | |
| HAZARDOUS POLYMERIZATION: MAY OCCUR <input type="checkbox"/> WILL NOT OCCUR <input checked="" type="checkbox"/> | OTHER PRECAUTIONS: |

H. HAZARDOUS INGREDIENTS (MIXTURES ONLY)

| MATERIAL OR COMPONENT/C.A.S. # | WT. % | HAZARD DATA |
|--------------------------------|-------|-------------|
| | | |

I. ENVIRONMENTAL

| | | |
|---|--|--|
| DEGRADABILITY/TOXICITY: LD50 / LC50: Oral, mouse: LD50 = 4 gm/kg; rat: LD50 = 3 gm/kg | | OCTANOL/WATER PARTITION COEFFICIENT NA |
| EPA HAZARDOUS SUBSTANCE? (CLEAN WATER ACT SECT. 311) YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> IF SO, REPORTABLE QUANTITY: | | |
| WASTE DISPOSAL METHODS (DISPOSER MUST COMPLY WITH FEDERAL, STATE AND LOCAL DISPOSAL OR DISCHARGE LAWS): Treatment or disposal of waste generated by use of this product should be reviewed in terms of applicable federal, state and local laws and regulations. Users are advised to consult with appropriate regulatory agencies before discharge, treatment or disposal. | | |
| RCRA STATUS OF <u>UNUSED</u> MATERIAL IF DISCARDED: Not a "hazardous waste". | HAZARDOUS WASTE NUMBER: (IF APPLICABLE) -- | |

J. REFERENCES

| | | |
|--|---|--|
| PERMISSIBLE CONCENTRATIONS REFERENCES: None. | | |
| REGULATORY STANDARDS | DOT CLASSIFICATION: Not regulated | |
| None. | | |
| GENERAL: | | |

K. ADDITIONAL INFORMATION

| |
|--|
| This product has a WHMIS classification of D2B |
|--|

MRDC-NA1

THIS MATERIAL SAFETY DATA SHEET IS OFFERED SOLELY FOR YOUR INFORMATION, CONSIDERATION AND INVESTIGATION.

BRALAN ENERGY PROVIDES NO WARRANTIES, EITHER EXPRESSED OR IMPLIED, AND ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OR COMPLETENESS OF THE DATA CONTAINED HEREIN. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT. INDIVIDUALS RECEIVING THE INFORMATION MUST EXERCISE THEIR INDEPENDENT JUDGMENT IN DETERMINING ITS APPROPRIATENESS FOR A PARTICULAR PURPOSE.